




The Chain or Beam Mount System can be mounted perpendicular directly to a wooden beam or suspended from existing trusses or beams with chain or cable, carabiners or S-Hooks depending on the weight per 5 linear feet.



FEATURES

- ☆ Allows you to suspend parallel or perpendicular from your existing structure
- ☆ Offers a easier solution and the possibility to get a longer drop than the threaded rod suspension system.
- ☆ The only option to mount perpendicular to a beam that is not clampable.
- ☆ Heavy duty 16 Gauge Galvanized Steel
- ☆ Fasteners to mount to a wooden beam are not included.
- ☆ You may experience a sway with the Chain / Beam Mount System. Bracing is recommended, please talk to our sales team for solutions.

Suspended Mount

Perpendicular



Parallel




Direct Mount

Perpendicular to a wooden beam




Straight Track

Available Lengths: 2', 4', 5', 6', 7' and 8'




Curved Track 90° or 45°


- Welded plain connectors on each end
- Requires two Beam or Chain Split Supports on each end of the curve

Where To Use: Connector, Split Support, Plain Connectors, and Endstops**Beam or Chain Split Support**

- Provides support to the track
- Does not connect track
- Can be placed anywhere along the track but not over a connector

**Wall Mount End Stop**

- Flange Up or Down available
- Includes 1 set screw




Supports are needed every 5ft of track.

Curved track section needs support on each end of curve.

Use split supports. No additional connectors are needed because each curve comes with welded on connectors and two set screws.

**Plain Connector**

- Connects straight track
- No support
- Includes 2 set screws

**Beam or Chain Connector**

- Connects straight track sections
- Also provides support to the track
- Includes 2 set screws

**Adjustable End Stop**

AmCraft
MANUFACTURING, INC.

Hardware Components



Beam or Chain Connector

incl. 2 set screws




Beam or Chain Split Support



Beam or Chain Corner Connector

incl. 2 set screws



Beam or Chain T Connector

incl. 3 set screws



Curved Track 90°

incl. 2 set screws



Curved Track 45°

incl. 2 set screws



Straight Track



Extra Set Screw



Plain Connector

incl. 2 set screws



Wall Mount Flange Up

incl. 1 set screws



Wall Mount Flange Down

incl. 1 set screws



Adjustable End Stop



Steel Rollers



Nylon Rollers



**Pull Rope Trolley
Steel Wheels 4' or 10'**



**10" Overlap Trolley
Options with 4' or 10' Rope**

AmCraft
MANUFACTURING, INC.

Phone: 847-439-4565
Email: sales@amcraftonline.com
Website: www.amcraftmanufacturing.com